



NIGHTFALL
PINPOINTE BLACKOUT FR


The Ultimate Blackout Collection




NIGHTFALL
PINPOINTE
BLACKOUT FR




WHITE (SNOW FLAKES) 0-002-63-90072




IVORY 0-002-63-96972




FAWN (OFF WHITE) 0-002-63-93472




LINEN
0-002-63-92672



BEIGE (BISQUE) 0-002-63-93372




ECRU (COPPER)
0-002-63-92972




TAUPE

0-002-63-99272




LIGHT GREY

0-002-63-91072



CHARCOAL

0-002-63-92172



SABLE
0-002-63-92472



BLACK

0-002-63-93172

NIGHTFALL PINPOINTE BLACKOUT FR



TECHNICAL PROPERTIES

Composition	75% PVC + 25% Fiberglass
Weight	406 g/m ² ± 5% 11.97 oz/yd ² ± 5%
Thickness	0.38 mm ± 5% 0.015 in ± 5%
Roll Width	1.83 m 72 in
Adhesion	Inseparable PVC Films
UV Blockage	100%
Flame Retardant	NFPA 701


*Performance evaluations conducted by independent laboratories.

CARE & MAINTENANCE



1. Hand wash with cold water and a mild 5% detergent solution.
2. Wipe gently with a wet sponge.
3. Vacuum clean for regular maintenance.
4. Do not wring dry.
5. Do not bleach.
6. Do not dry clean nor use steam cleaning.

MANUFACTURING



Can be
Railroaded

Ultrasonic Cut
NOT Required

INTERNATIONAL CERTIFICATIONS



The **Vertilux Collection** has all of the most important certificates in the industry. However, different certificates apply for different fabrics in our collection. Please ask our Customer Service Department about the certificates available for specific fabric patterns.

APPLICATIONS



Roller
Shades

Sliding
Panels

Indoor Use
Only

IMPORTANT: The values and recommendations in this card are not contractual and can not be used as claim for order cancellations or returns. This technical data may vary at any time without previous notice. Color samples may not necessarily be an exact match of the material to be used to produce your order. Returns will not be accepted due to minor variations of color or texture.



vertilux.com

© 2018, Vertilux, Ltd. All Rights Reserved. 4th Edition.